

Building Code Requirements for Masonry Structures (TMS 402-22)

TABLE OF CONTENTS

SYNOPSIS AND KEYWORDS, pg. C-ix

PART 1 — GENERAL, pg. C-1

CHAPTER 1 — GENERAL REQUIREMENTS, pg. C-1

1.1 — Scope.....	C-1
1.1.1 Minimum Requirements.....	C-1
1.1.2 Governing Building Code	C-1
1.1.3 SI Information	C-1
1.2 — Contract Documents and Calculations	C-2
1.3 — Alternative Design or Method of Construction	C-3
1.4 — Standards Cited in this Code	C-4

CHAPTER 2 — NOTATION AND DEFINITIONS, pg. C-7

2.1 — Notation	C-7
2.2 — Definitions	C-16

CHAPTER 3 — QUALITY AND CONSTRUCTION, pg. C-27

3.1 — Quality Assurance Program	C-27
3.1.1 Procedures.....	C-28
3.1.2 Qualifications.....	C-29
3.1.3 Acceptance Relative to Strength Requirements	C-29

PART 2 — DESIGN REQUIREMENTS, pg. C-31

CHAPTER 4 — GENERAL ANALYSIS AND DESIGN CONSIDERATIONS, pg. C-31

4.1 — Loading	C-31
4.1.1 General.....	C-31
4.1.2 Load Provisions.....	C-31
4.1.3 Lateral Load Resistance	C-31
4.1.4 Load Transfer at Horizontal Connections	C-31
4.1.5 Other Effects	C-31
4.1.6 Lateral Load Distribution.....	C-32
4.2 — Material Properties.....	C-33
4.2.1 General.....	C-33
4.2.2 Modulus of Elasticity and Modulus of Rigidity	C-33
4.2.3 Coefficients of Thermal Expansion.....	C-35
4.2.4 Coefficients of Moisture Expansion for Clay Masonry	C-35
4.2.5 Coefficients of Shrinkage.....	C-35
4.2.6 Coefficients of Creep	C-36
4.2.7 Prestressing Steel	C-36



4.3 — Specified Compressive Strength	C-36
4.4 — Section Properties	C-37
4.4.1 Stress Calculations	C-37
4.4.2 Stiffness.....	C-38
4.4.3 Radius of Gyration	C-38
4.4.4 Bearing Area	C-39
4.4.5 Net Shear Area	C-39
4.5 — Connection to Structural Frames.....	C-41
4.6 — Deflection of Beams Supporting Unreinforced Masonry.....	C-41
4.7 — Masonry Not Laid in Running Bond.....	C-42
4.8 — Embedded Conduits, Pipes, and Sleeves.....	C-43

CHAPTER 5 — STRUCTURAL MEMBERS, pg. C-45

5.1— General.....	C-45
5.1.1 Concentrated Loads.....	C-45
5.1.2 Effective Compressive Width	C-48
5.1.3 Multiwythe Masonry.....	C-49
5.2 — Walls.....	C-55
5.2.1 Design of Independent Walls.....	C-56
5.2.2 Design of Lateral Supports for Walls, Without Composite Action at the Intersections.....	C-56
5.2.3 Design of Masonry Wall and Pilaster Intersections for Composite Action.....	C-56
5.3 — Beams.....	C-59
5.3.1 General Beam Design	C-59
5.3.2 Deep Beams	C-61
5.4 — Columns.....	C-63
5.4.1 General Column Design.....	C-63
5.4.2 Lightly Loaded Columns.....	C-64
5.5 — Pilasters.....	C-66
5.6 — Corbels.....	C-66
5.6.1 Load-Bearing Corbels	C-66
5.6.2 Non-Load-Bearing Corbels.....	C-66

CHAPTER 6 — REINFORCEMENT, METAL ACCESSORIES, AND ANCHOR BOLTS, pg. C-69

6.1 — Reinforcement.....	C-69
6.1.1 Scope.....	C-69
6.1.2 Embedment	C-69
6.1.3 Size of Reinforcement.....	C-69
6.1.4 Placement of Bar and Deformed Wire Reinforcement.....	C-76
6.1.5 Protection of Reinforcement	C-76
6.1.6 Development.....	C-77
6.1.7 Splices	C-80
6.1.8 Shear Reinforcement.....	C-85
6.1.9 Standard Hooks and Bends for Reinforcing Bars and Deformed Wire	C-88
6.1.10 Embedment of Flexural Reinforcement	C-89

6.2 — Metal Accessories C-92

 6.2.1 Protection of Metal Accessories..... C-92

6.3 — Anchor Bolts C-93

 6.3.1 Placement..... C-93

 6.3.2 Projected Area for Axial Tension..... C-94

 6.3.3 Projected Area for Shear C-97

 6.3.4 Effective Embedment Length for Headed Anchor Bolts..... C-97

 6.3.5 Effective Embedment Length of Bent-Bar Anchor Bolts C-98

 6.3.6 Minimum Permissible Effective Embedment Length C-99

 6.3.7 Anchor Bolt Edge Distance..... C-99

 6.3.8 Effective Cross-Sectional Area of Threaded Anchor Bolts..... C-99

CHAPTER 7 — SEISMIC DESIGN REQUIREMENTS, pg. C-101

7.1 — Scope..... C-101

7.2 — General Analysis..... C-102

 7.2.1 Element Interaction..... C-102

 7.2.2 Load Path C-102

 7.2.3 Anchorage Design..... C-102

 7.2.4 Drift Limits C-102

7.3 — Element Classification C-104

 7.3.1 Nonparticipating Elements..... C-104

 7.3.2 Participating Elements C-105

7.4 — Seismic Design Category Requirements C-112

 7.4.1 Seismic Design Category A Requirements C-112

 7.4.2 Seismic Design Category B Requirements C-113

 7.4.3 Seismic Design Category C Requirements C-113

 7.4.4 Seismic Design Category D Requirements C-117

 7.4.5 Seismic Design Category E and F Requirements..... C-118

PART 3 — ENGINEERED DESIGN METHODS, pg. C-119

CHAPTER 8 — ALLOWABLE STRESS DESIGN OF MASONRY, pg. C-119

8.1 — General..... C-119

 8.1.1 Scope..... C-119

 8.1.2 Calculated Stresses..... C-119

 8.1.3 Design Stress..... C-119

 8.1.4 Anchor Bolts Embedded in Grout..... C-119

 8.1.5 Shear Stress in Composite Masonry..... C-121

 8.1.6 Bearing Stress C-121

8.2 — Unreinforced Masonry C-122

 8.2.1 Scope..... C-122

 8.2.2 Design Criteria C-122

 8.2.3 Design Assumptions C-122

 8.2.4 Axial Compression and Flexure..... C-122

 8.2.5 Axial Tension..... C-128

 8.2.6 Shear C-129

8.3 — Reinforced Masonry	C-130
8.3.1 Scope.....	C-130
8.3.2 Design Assumptions	C-130
8.3.3 Steel Reinforcement — Allowable Stresses.....	C-130
8.3.4 Axial Compression and Flexure.....	C-130
8.3.5 Shear	C-133
8.3.6 Shear Friction.....	C-136

CHAPTER 9 — STRENGTH DESIGN OF MASONRY, pg. C-137

9.1 — General	C-137
9.1.1 Scope.....	C-137
9.1.2 Required Strength	C-137
9.1.3 Design Strength.....	C-137
9.1.4 Strength-Reduction Factors.....	C-137
9.1.5 Deformation Requirements	C-141
9.1.6 Anchor Bolts Embedded in Grout.....	C-141
9.1.7 Shear Strength in Composite Masonry.....	C-143
9.1.8 Nominal Bearing Strength.....	C-143
9.1.9 Material Properties	C-143
9.2 — Unreinforced Masonry	C-145
9.2.1 Scope.....	C-145
9.2.2 Design Criteria	C-145
9.2.3 Design Assumptions	C-145
9.2.4 Nominal Flexural and Axial Strength	C-145
9.2.5 Axial Tension.....	C-147
9.2.6 Nominal Shear Strength	C-148
9.3 — Reinforced Masonry	C-149
9.3.1 Scope.....	C-149
9.3.2 Design Assumptions	C-149
9.3.3 Design of Beams and Columns	C-150
9.3.4 Wall Design for Out-of-Plane Loads	C-154
9.3.5 Wall Design for In-Plane Loads.....	C-157

CHAPTER 10 — PRESTRESSED MASONRY, pg. C-165

10.1 — General.....	C-165
10.1.1 Scope.....	C-165
10.2 — Design Methods	C-166
10.2.1 General.....	C-166
10.2.2 After Transfer.....	C-166
10.3 — Permissible Stresses in Prestressing Tendons	C-166
10.3.1 Jacking Force	C-166
10.3.2 Immediately After Transfer.....	C-167
10.3.3 Post-Tensioned Masonry Members.....	C-167
10.3.4 Effective Prestress.....	C-167
10.4 — Axial Compression and Flexure	C-169
10.4.1 General.....	C-169
10.4.2 Allowable Stress Level Load Requirements	C-170
10.4.3 Strength Requirements	C-170
10.5 — Design of Walls.....	C-172
10.5.1 Tendons and Mild Reinforcement Centered in Wall.....	C-172
10.5.2 Tendons or Mild Reinforcement Not Centered.....	C-172

10.6 — Design of Beams and Lintels C-173

 10.6.1 Compression Stress Block C-173

 10.6.2 Nominal Strength C-173

 10.6.3 Ratio of a/d C-174

10.7 — Axial Tension C-174

10.8 — Shear C-174

10.9 — Deflection C-175

10.10 — Prestressing Tendon Anchorages, Couplers, and End Blocks C-175

10.11 — Protection of Prestressing Tendons and Accessories C-176

10.12 — Development of Bonded Tendons C-176

CHAPTER 11 — STRENGTH DESIGN OF AUTOCLAVED AERATED CONCRETE (AAC) MASONRY, pg. C-177

11.1 — General C-177

 11.1.1 Scope C-177

 11.1.2 Required Strength C-177

 11.1.3 Design Strength C-177

 11.1.4 Strength of Joints C-177

 11.1.5 Strength-Reduction Factors C-177

 11.1.6 Deformation Requirements C-179

 11.1.7 Anchor Bolts C-179

 11.1.8 Material Properties C-179

 11.1.9 Nominal Bearing Strength C-180

 11.1.10 Corbels C-181

11.2 — Unreinforced AAC masonry C-181

 11.2.1 Scope C-181

 11.2.2 Flexural Strength of Unreinforced AAC Masonry Members C-181

 11.2.3 Nominal Axial Strength of Unreinforced AAC Masonry Members C-182

 11.2.4 Axial Tension C-182

 11.2.5 Nominal Shear Strength of Unreinforced AAC Masonry Members C-182

 11.2.6 Flexural Cracking C-182

11.3 — Reinforced AAC Masonry C-183

 11.3.1 Scope C-183

 11.3.2 Design Assumptions C-183

 11.3.3 Maximum Area of Flexural Tensile Reinforcement C-184

 11.3.4 Design of Beams and Columns C-184

 11.3.5 Wall Design for Out-of-Plane Loads C-188

 11.3.6 Wall Design for In-Plane Loads C-191

CHAPTER 12 — DESIGN OF MASONRY INFILL, pg. C-193

12.1 — General C-193

 12.1.1 Scope C-193

 12.1.2 Required Strength C-194

 12.1.3 Design Strength C-194

 12.1.4 Strength-Reduction Factors C-194

 12.1.5 Limitations C-194

12.2 — Non-Participating Infills	C-195
12.2.1 In-Plane Isolation Joints for Non-Participating Infills	C-195
12.2.2 Design of Non-Participating Infills for Out-of-Plane Loads	C-195
12.3 — Participating infills	C-196
12.3.1 General	C-196
12.3.2 In-Plane Connection Requirements for Participating Infills	C-196
12.3.3 Out-of-Plane Connection Requirements for Participating Infills	C-197
12.3.4 Design of Participating Infills for In-Plane Forces	C-197
12.3.5 Design of Frame Members with Participating Infills for In-Plane Loads	C-199
12.3.6 Design of Participating Infills for Out-of-Plane Forces	C-199


PART 4 — PRESCRIPTIVE DESIGN METHODS, pg. C-201

CHAPTER 13 — VENEER, pg. C-201

13.1 — General	C-201
13.1.1 Scope	C-201
13.1.2 General Design Requirements	C-201
13.2 — Anchored Veneer	C-204
13.2.1 General Requirements for Anchored Veneer	C-204
13.2.2 Prescriptive Design of Anchored Masonry Veneer	C-210
13.2.3 Engineered Design of Anchored Masonry Veneer	C-216
13.3 — Adhered Veneer	C-219
13.3.1 General Requirements for Adhered Veneer	C-219
13.3.2 Prescriptive Design of Adhered Masonry Veneer	C-221
13.3.3 Engineered Design of Adhered Masonry Veneer	C-227


CHAPTER 14 — GLASS UNIT MASONRY, pg. C-229

14.1 — General	C-229
14.1.1 Scope	C-229
14.1.2 General Design Requirements	C-229
14.1.3 Units	C-229
14.2 — Panel Size	C-229
14.2.1 Panel Area and Dimensions	C-230
14.2.2 Curved Panels	C-231
14.3 — Support	C-231
14.3.1 General Requirements	C-231
14.3.2 Vertical	C-231
14.3.3 Lateral	C-232
14.4 — Expansion Joints	C-232
14.5 — Base Surface Treatment	C-233
14.6 — Mortar	C-233
14.7 — Reinforcement	C-233



CHAPTER 15 — MASONRY PARTITION WALLS, pg. C-235

15.1 — General	C-235
15.1.1 Scope.....	C-235
15.1.2 Design of Partition Walls.....	C-235
15.2 — Prescriptive Design of Partition Walls	C-235
15.2.1 Permitted Types of Masonry.....	C-235
15.2.2 General.....	C-235
15.2.3 Limitations	C-236
15.3 — Lateral Support	C-237
15.3.1 Maximum ℓ/t and h/t	C-237
15.3.2 Cantilever Walls.....	C-237
15.3.3 Support Members.....	C-238
15.4 — Anchorage	C-239
15.4.1 General.....	C-239
15.4.2 Intersecting Masonry Partition Walls.....	C-239
15.4.3 Anchorage to Structural Members	C-239
15.5 — Miscellaneous Requirements	C-240
15.5.1 Chases and Recesses	C-240
15.5.2 Lap Splices.....	C-240



PART 5 — APPENDICES, pg. C-241

APPENDIX C — LIMIT DESIGN METHOD, pg. C-243

C — General.....	C-243
C.1 — Yield Mechanism	C-243
C.2 — Mechanism Strength.....	C-244
C.3 — Mechanism Deformation.....	C-244

APPENDIX D — GLASS FIBER REINFORCED POLYMER (GFRP) REINFORCED MASONRY, pg. C-247

D.1 — General	C-247
D.1.1 Scope.....	C-247
D.1.2 Nonparticipating Elements.....	C-248
D.1.3 Reinforcement Materials.....	C-248
D.1.4 Strength-Reduction Factors.....	C-248
D.2 — Material Properties	C-249
D.2.1 Design Tensile Strength and Strain.....	C-249
D.2.2 Modulus of Elasticity	C-250
D.3 — Reinforcement.....	C-250
D.3.1 GFRP Reinforcement.....	C-250
D.3.2 Size of GFRP Reinforcement.....	C-250
D.3.3 Development	C-250
D.3.4 Splices.....	C-250
D.3.5 Standard Hooks and Bends	C-251

TMS 402 Code and Commentary, C-vii

D.4 — Flexural Members C-251

 D.4.1 Compression Reinforcement..... C-251

 D.4.2 Nominal Flexural Strength..... C-251

 D.4.3 Lintels C-252

 D.4.4 Nominal Shear Strength C-252

 D.4.5 Deflections C-252

D.5 — Creep Rupture C-253

EQUATION CONVERSIONS, pg. C-255

CONVERSION OF INCH-POUND UNITS TO SI UNITS, pg. C-269

PREFIXES, pg. C-269

REFERENCES FOR THE CODE COMMENTARY, pg. C-271

